

Predmet: **Tehnički zadatak za nabavku paleta – 2026/27 godina**
po Nalogu za nabavu br. 81/26
„Dodatne količine paleta“

Datum: 15.06.2026.

Tabela 1. Dimenzije paleta

PALETA	Paleta koje se koriste u Rafineriji ulja Modriča	
	Dimenzije (mm)	Kol. (kom)
EURO-PALETA (nova i/ili polovna)	1200 x 800 x 144	
	22 x 145 x 1200	2
	22 x 100 x 1200	2
	22 x 145 x 1200	1
	22 x 145 x 800	3
	22 x 100 x 1200	2
	22 x 145 x 1200	1
	78 x 145 x 145	3
	78 x 100 x 145	6

EURO-PALETA 800 x 1200 mm


- 2 x Gornja 22 x 145 x 1200 mm
- 2 x Unutrašnja 22 x 100 x 1200 mm
- 1 x Srednja 22 x 145 x 1200 mm
- 3 x Poprečna 22 x 145 x 800 mm
- 2 x Podna 22 x 100 x 1200 mm
- 1 x Podna srednja 22 x 145 x 1200 mm
- 3 x Kocka 78 x 145 x 145 mm
- 6 x Kocka 78 x 100 x 145 mm

Nosivost 1500 kg

Ukupna količina Euro-paleta (sa dinamikom isporuke):

	2026/27.	Σ
Artikl		kom
Euro paleta		14.500

The WORLD-Pallet of the type 1 (according DIN EN 13698-1)
with the following dimensions 800 x 1200 x 144 mm



Serial No.	No. Of pieces	Identification	Nominal measurement of the components	Minimum measurement of board + admissible tolerances
1	2	Edge cover board	1200 x 145 x 22	1200+3 x 142+8 x 22+2
2	1	Middle cover board	1200 x 145 x 22	1200+3 x 142+8 x 22+2
3	2	Interior cover board	1200 x 100 x 22	1200+3 x 97+6 x 22+2
4	2	Edge runner boards	1200 x 100 x 22	1200+3 x 97+6 x 22+2
5	1	Middle runner board	1200 x 145 x 22	1200+3 x 142+8 x 22+2
6	3	Lateral board	800 x 145 x 22	800+3 x 142+8 x 22+3
7	6	Block	145 x 100 x 78	142+8 x 97+6 x 78+1
8	3	Block	145 x 145 x 78	142+8 x 142+8 x 78+1

The WORLD-pallet is designed for the following loads during support or bearing on shelves or on the fork of a ground conveyor:

- **1.200 kg (Nominal load)** if the load is arbitrarily distributed on the surface of the pallet
- **1.700 kg** if the load is uniformly distributed on the surface of the pallet
- **2.200 kg** if the load is holohedrally and uniformly distributed in a compact form on the entire surface of the pallet
- **6.000 kg** load range at the lower Pallet, with full-surface stacking

www.world-pallet.com

Sl. 1 EURO-PALETA 800 x 1200 mm

Dinamika isporuke: 1.191 kom. mjesečno

Obavezna tehnička dokumentacija koja mora biti dostavljena:

- Tehnički list – TDS, Tehnička dokumentacija
- Tehnički izvještaji (Izvještaj o provedenom ispitivanju ponuđenih paleta)
- Zemlja porijekla – Izjava
- Referenc lista
- Konstrukcija i način izrade: – Montaža mora da zadovolji propisane dimenzije Europaleta
- Materijal izrade – Drvo
- Način isporuke: – Kamionski

Tehnički zadatak uradio: Branko Despotović, mr. hem. inž.

Rukovodilac sektora razvoja, ispitivanja i kvaliteta proizvoda Potpis:

